We Will Get Started Shortly

- Lines have been muted upon entry to reduce background noise
- We encourage you to ask questions for the presenter(s) throughout the event using the **Chat Box** feature
- Please enter your name, role, organization and State into Chat Box Open Chat Scroll Down & Select To Everyone















Antibiotic Stewardship: Quick Wins for Improving Duration of Therapy

November 8, 2022

Hosted by IPRO HQIC IPRO, Alliant, Compass and Telligen Joint HQIC Learning and Action Network Event


Please Note: This LAN is being recorded.







How to Use & Send a Message in Chat Box







- Healthcentric Advisors Qlarant
- Kentucky Hospital Association
 Q3 Health Innovation Partners
- Superior Health Quality Alliance



Hospital Quality Improvement Contractors

CENTERS FOR MEDICARE & MEDICAID SERVICES

iQUALITY IMPROVEMENT & INNOVATION GROUP

Learning Objectives

- Describe CDC Antibiotic Stewardship Core Elements and program status in acute care hospitals
- Discuss national trending data on antibiotic use and duration of therapy
- Review opportunities to improve prescribing practices and decrease antibiotic duration of therapy at the time of patient discharge, including handoff to the next level of care
- Explain duration of therapy evidence-based strategies and associated outcomes to enhance patient safety
- Hear about a hospital's challenges and successes with implementing practical electronic health record (EHR) solutions and other data-driven strategies to optimize duration of therapy

Why Focus on This Now?

- Antibiotic Stewardship remains a national priority aimed at optimizing antibiotic use to effectively treat infections, protect patients from harms caused by unnecessary use and curb antibiotic resistance
- CDC's Core Elements of Antibiotic Stewardship are an effective strategy to optimize antibiotic use yet more needs done
- Hard-wiring meaningful stewardship is imperative given the impact and associated challenges of the COVID-19 Pandemic - on patients/families, hospitals, and providers across the care continuum
- Antibiotic Awareness Week, November 18-24, 'Antimicrobials: Handle with Care' highlights steps everyone can take to improve antibiotic prescribing and use



Today's Speakers



Arjun Srinivasan, MD
CAPT USPHS
Deputy Director for Program Improvement
Division of Healthcare Quality Promotion
Centers for Disease Control & Prevention



Valerie Vaughn, MD MSc Director of Hospital Medicine Research University of Utah Hospitalist Lead Antimicrobial Use Initiative Michigan Hospital Medicine Safety Consortium



Robert Neetz, PharmD BCPS Lead Antimicrobial Stewardship Pharmacist MidMichigan Health

Today's Facilitator



Lynda Martin, MPA BSN RN CPHQ Senior Director Patient Safety Qlarant Patient Safety Lead IPRO HQIC




- Healthcentric Advisors
 Qlarant
 Kentucky Hospital Association
- Q3 Health Innovation Partners
- Superior Health Quality Alliance



CDC Updates on Antibiotic Stewardship-2022

Arjun Srinivasan, MD CAPT, USPHS Division of Healthcare Quality Promotion beu8@cdc.gov

NHSN Annual Hospital Surveys 2014-2021: Number and percentage of hospitals meeting all 7 Core Elements



Advancing Stewardship Implementation

- Not all stewardship is created equal.
- There is some data showing that some practices are especially effective.
- There is a lot of experience demonstrating that some practices are better than others, for a variety of reasons- more effective, easier to implement, preferred by providers etc.
- We tried to indicate some of these in the 2019 revisions to the Hospital Core Elements for Antibiotic Stewardship Programs.
- It's time to start identifying and directing people to these more aggressively.

Hospital Leadership Commitment- Proposed Priority Implementation

- Physician has antibiotic stewardship responsibilities in their contract or job description OR
- Pharmacist has antibiotic stewardship responsibilities in their contract or job description

Accountability- Proposed Priority Implementation

 Our facility has co-leaders (both pharmacist and physician) responsible for antibiotic stewardship outcomes

(Pharmacy) Expertise- Proposed Priority Implementation

- Physician completed an ID fellowship OR completed a certificate program or other coursework OR
- Pharmacist completed a PGY2 ID residency and/or ID fellowship OR completed a certificate program or other coursework

Action- Proposed Priority Implementation

- Providers have access to facility- or region-specific treatment guidelines or recommendations for commonly encountered infections AND
- Our facility has a policy or formal procedure for required authorization by the stewardship team before restricted antibiotics on the formulary can be dispensed (i.e., prior authorization) OR
- Our facility has a policy or formal procedure for the stewardship team to review courses of therapy for specific antibiotic agents and provide realtime feedback and recommendations to the treating team (i.e., prospective audit and feedback)

Tracking- Proposed Priority Implementation

Hospitals submit antibiotic use data to the NHSN Antimicrobial Use (AU)
 Option

Reporting- Proposed Priority Implementation

 Stewardship program provides the following reports on antibiotic use to prescribers, at least annually - at least unit- or service-specific reports

What Does This Mean For Hospitals And Stewardship?

- The priority implementation approaches are not going to miraculously transform antibiotic use.
- Rather, these are intended to point hospitals to strategies they should consider focusing on implementing if they are not already doing so.
- And there are no requirements, incentives or penalties related to the priority implementation recommendations.
- But it seems time to take a next step with the core elements.
- This is an incremental next step on a long journey...



Submission Metrics

- 2443 facilities submitted at least one month of data
 - From 50 states (+AE, AP, DC & PR)
 - Bed size
 - Mean = 204
 - Median = 148
 - Min/Max = 2, 1553
 - Teaching status
 - Teaching: 70.4%
 - (of all Teaching) Major teaching:55%

Facility Type	# Ever Submitted
Critical access	236
Children's hospital	54
General acute care hospital Long-term acute care hospital	1890 11
Military hospital	46
Oncology hospital	4
Orthopedic hospital	11
Psychiatric hospital	8
Rehab hospital	28
Surgical hospital	23
Veteran's Affairs hospital	117
Women's hospital	7
Women and children's hospital	8
*As of June 2022	

CMS Hospital Inpatient Prospective Payment System-Final Rule for FY2023

- AUR Surveillance measure: The eligible hospital or CAH is in active engagement with CDC's National Healthcare Safety Network (NHSN) to submit antimicrobial use and resistance (AUR) data for the EHR reporting period and receives a report from NHSN indicating their successful submission of AUR data for the EHR reporting period.
- No additional points would be associated with the reporting of this measure, but it would be one of five required measures required to satisfy the Public Health and Clinical Data Exchange Objective.
- It will be included in the Public Health and Clinical Data Exchange Objective and will be a required measure beginning with the EHR reporting period in CY 2024.

Assessing Correlation of Antibiotic Use and Resistance

- Correlations between antibiotic use and resistance can be informative for potential opportunities to improve use.
- Are there hospitals where use of some agents is much higher than what we would expect given resistance patterns?
 - E.g. a hospital using a lot of ceftazidime-avibactam, but with very little
 CRE
- Are there hospitals where use of some agents is much lower than what we would expect given resistance patterns?

What's Next?

- Policy initiatives, reporting requirements and core elements are useless without the hard work you all do every day with stewardship implementation.
- We are always looking for places where our infrastructure can help make meaningful improvements in antibiotic use.
- Duration of therapy is a prime target...





Antibiotic Duration and the Need for Discharge Stewardship:

Introducing the Reducing Overuse of Antibiotics at Discharge (ROAD) Home

Valerie Vaughn, MD, MSc

Hospitalist Lead, Antimicrobial Use Initiative, Michigan Hospital Medicine Safety Consortium Director of Hospital Medicine Research, University of Utah valerie.vaughn@hsc.utah.edu

No Conflicts of Interest or Disclosures



Antibiotic Duration and Discharge

- Background
- Framework for Improvement
- Pathways to Better Antibiotic Use at Discharge



Antibiotic Duration and Discharge

- Background
- Framework for Improvement
- Pathways to Better Antibiotic Use at Discharge



For many diseases, evidence shows that shorter durations are equally effective as longer durations

Change in dogma

Longer durations

Kill off healthy, normal flora

Select for resistant pathogens

Increase risk of Clostridioides difficile

Increase risk of adverse events (e.g., side effects)



Uranga. JAMA Internal Medicine. 2016; Schrag. JAMA. 2001; Wistrom J. Antimicrobial Chemotherapy. 2001; Tamma. JAMA Internal Medicine. 2017

WHAT'S THE "RIGHT" DURATION FOR PNEUMONIA?

It depends....

On patient factors, disease, clinical stability, improvement

Most patients (>80%) with CAP should receive 3-5 days of treatment

As long as afebrile x 48 hours and ≤ 1 vital sign abnormality by day 5 of treatment

Longer for complications (e.g., empyema) or organism (staph/pseudomonas)



Diagnosis and Treatment of Adults with Community-acquired Pneumonia

An Official Clinical Practice Guideline of the American Thoracic Society and Infectious Diseases Society of America

Joshua P. Metlay*, Grant Waterer*, Ann C. Long, Antonio Anzueto, Jan Brozek, Kristina Crothers, Laura A. Cooley, Nathan C. Dean, Michael J. Fine, Scott A. Flanders, Marie R. Griffin, Mark L. Metersky, Daniel M. Musher, Marcos I. Restrepo, and Cynthia G. Whitney; on behalf of the American Thoracic Society and Infectious Diseases Society of America

This official clinical practice guideline was approved by the American Thoracic Society May \$2019 and the Infections Diseases Society of America August 2019

Terminology "HCAP" has been removed by new guidelines
These patients now also eligible for 5 days!!!



Annals of Internal Medicine

ORIGINAL RESEARCH


Excess Antibiotic Treatment Duration and Adverse Events in Patients Hospitalized With Pneumonia

A Multihospital Cohort Study

Two-thirds of patients received excess antibiotic therapy



PATIENTS WITH CAP WHO RECEIVED EXCESS DURATION, BY HOSPITAL





Annals of Internal Medicine

ORIGINAL RESEARCH

Excess Antibiotic Treatment Duration and Adverse Events in Patients Hospitalized With Pneumonia

A Multihospital Cohort Study

Two-thirds of patients received excess antibiotic therapy

Each excess day of treatment was associated with 5% increase in odds of antibiotic adverse events



Vaughn, VM et.al. Annals of Internal Medicine. 2019

Annals of Internal Medicine

ORIGINAL RESEARCH

Excess Antibiotic Treatment Duration and Adverse Events in Patients Hospitalized With Pneumonia

A Multihospital Cohort Study

Two-thirds of patients received excess antibiotic therapy

Discharge antibiotics were responsible for 93.2% of excess duration!!!



Vaughn, VM et.al. Annals of Internal Medicine. 2019

TYPES OF ANTIBIOTIC OVERUSE AT DISCHARGE



Unnecessary Antibiotics

Given for a non-infectious or non-bacterial syndrome



Excessive Duration

Antibiotic needed, but prescribed for longer than necessary



Antibiotic needed, but safer alternative exists



Antibiotic Overuse at Discharge Is Common

Assessment of antibiotic use at discharge in 21,825 patients treated for pneumonia or urinary tract infection across 46 hospitals (July 2017-July 2019)



57% had antibiotic overuse at discharge



39% had antibiotic overuse at discharge



Antibiotic Overuse at Discharge Is Associated with Patient Harm


- Antibiotic side effects (e.g., C. difficile)
- Increased antibiotic resistance (self)
- Increased antibiotic resistance (communities, nursing homes)

Vaughn VM, et al. *Clinical Infectious Diseases*. 2020 Vaughn VM, et al. *Annals of Internal Medicine*. 2019 Gontjes KJ et al. JAMA Network Open. 2022



5-FOLD VARIATION ACROSS HOSPITALS

Figure 1. Antibiotic Overuse after Discharge in Patients Treated for Pneumonia or Urinary Tract Infection, by Hospital, (N=46 hospitals)






Vaughn VM, Clinical Infectious Diseases. 2020

STRONGLY CORRELATED ACROSS CONDITIONS

Figure 2. Antibiotic Overuse after Discharge in Patients Treated for UTI vs. Patients Treated for Pneumonia, by Hospital, (N=44 hospitals)





Vaughn VM, Clinical Infectious Diseases. 2020

Inpatient Antibiotic Stewardship Strategies may NOT be Effective at Discharge



11%

fewer patients received a fluoroquinolone in hospitals targeting inpatient fluoroquinolone use



Double

the number of patients were newly started on a fluoroquinolone at discharge



What are the most effective strategies to improve antibiotic prescribing at discharge?



Antibiotic Duration and Discharge

- Background
- Framework for Improvement
- Pathways to Better Antibiotic Use at Discharge




Reducing Overuse of Antibiotics at Discharge (ROAD) Home Framework

> Clin Infect Dis. 2021 Sep 23;ciab842. doi: 10.1093/cid/ciab842. Online ahead of print.

Antibiotic Overuse and Stewardship at Hospital Discharge: The Reducing Overuse of Antibiotics at Discharge (ROAD) Home Framework

Valerie M Vaughn ^{1 2 3}, Adam L Hersh ⁴, Emily S Spivak ⁵







Fall 2019 Survey (39 Hospitals)

Tier 1.Critical
Infrastructure

Dedicated Stewardship Resources since the Joint Commission Requirement (31%) Hospital Policy Requiring
Documentation of
Intended Duration in
Discharge Summary
(15%)

Updated UTI Guideline (51%) Updated Pneumonia Guideline (59%) Education on UTI and ASB (87%)

Education on Pneumonia

ation on Pheumon (95%)



Fall 2019 Survey (39 Hospitals)

Tier 2.Broad Inpatient Interventions

	Antibiotic Timeout (31%)	Fluoroquinolone Restriction (31%)	Fluoroquinolone- specific Interventions (3, 2-4) (100%)	Preset Duration for Pneumonia (56% said yes)		Audit & Feedba Pneumonia (80%)	Pno	CPOE Pneumonia (100%)	
				Audit & Feedback ASB (59%)	Audit 8 Feedbac UTI (67%)		CPOE UTI (67%)	Diagnostic Stewardship Interventions (1, 0-2) (67%)	



Tier 3.Discharge
Specific
Strategies

Discharge Intervention
De-emphasizing
Fluoroquinolones
(15%)


Antibiotic Use Data on Discharge Antibiotics (8%)


Review of Outpatient Antibiotics before Discharge (8%)

Fall 2019 Survey (39 Hospitals)



Over time, Antibiotic Overuse at Discharge Has Decreased







Analysis of the ROAD Home Framework

20,444 patients across 39 hospitals between 7/2017 and 7/2019

- Generally, the more strategies the less antibiotic overuse at discharge
- Only 1 intervention was associated with less antibiotic overuse at discharge for both CAP and UTI
 - Tier 3 Strategy: Review of Outpatient Antibiotics before Discharge
 - aIRR 0.543 (0.335-0.878); ~46% fewer antibiotic overuse days at discharge
- One associated with MORE antibiotic overuse at discharge
 - Tier 2: Preset Antibiotic Duration for Pneumonia (↑44.1%)



Antibiotic Duration and Discharge


- Background
- Framework for Improvement
- Pathways to Better Antibiotic Use at Discharge





Do it all

Tier 1: 4 (of 6); Tier 2: 9 (of 24); Tier 3: 2 (of 3)






Strong Inpatient Stewardship (keeping discharge in mind)

- Hospitals that already have robust inpatient stewardship interventions
- Proactively incorporate discharge into Tier 1 and Tier 2 Strategies

Tier 1: 5 (of 6); Tier 2: 12 (of 24); Tier 3: 0 (of 3)






Focus on Discharge

- Hospitals with fewer resources for inpatient antibiotic stewardship
- Implement robust Tier 3 "dischargespecific" strategies

Tier 1: 2 (of 6); Tier 2: 6 (of 24); Tier 3: 2 (of 3)





Summary

- The ROAD Home framework can help hospitals reduce antibiotic overuse at discharge
 - The more interventions (or the higher tier) the more reduction
- Interventions with the biggest effect on discharge
 - Tier 3 (discharge-specific) strategies
 - For CAP having a preset/automatic duration led to higher antibiotic overuse
- Three pathways to success
 - Do it all
 - Planning inpatient strategies with discharge in mind
 - Discharge specific strategies



Thanks...

Ashwin Gupta, MD Andrea White, PhD Lindsay Petty, MD Anurag Malani, MD Danielle Osterholzer, MD Payal Patel, MD, MPH Mariam Younas, MD Steven Bernstein, MD, MPH Stephanie Burdick, MD David Ratz, MS Elizabeth McLaughlin, MS, RN Tawny Czilok, MHI, BSN, RN Jennifer Horowitz, MA Tanima Basu, PhD Scott Flanders, MD Tejal Gandhi, MD M. Todd Green, PhD Sean Huls, MD Xiaomei Feng, MD Adam Hersh, MD, PhD





Clinical Infectious Diseases

MAJOR ARTICLE







Antibiotic Stewardship Strategies and Their Association With Antibiotic Overuse After Hospital Discharge: An Analysis of the Reducing Overuse of Antibiotics at Discharge (Road) Home Framework

Valerie M. Vaughn^{1,2,3} David Ratz⁴ M. Todd Greene^{3,4} Scott A. Flanders³ Tejal N. Gandhi⁵ Lindsay A. Petty⁵ Sean Huls⁶ Xiaomei Feng⁷ Andrea T. White¹ and Adam L. Hersh³

Questions?

@ValerieVaughnMD valerie.vaughn@hsc.utah.edu

Tier 3. Discharge Specific Strategies		Discharge Intervention De-emphasizing Fluoroquinolones (15%)		Antibiotic Use Data on Discharge Antibiotics (8%)			Review of Outpatient Antibiotics before Discharge (8%)					
Tier 2. Broad Inpatient		Antibiotic	Tradroquirior		Fluoroquinolone- specific	Preset Dur for Pneum (56% said	nonia	onia Pneumo		Pn	k CPOE Pneumonia (100%)	
Interventions	Timeout (31%)		Restriction (31%)		Interventions (3, 2-4) (100%)	Audit & Feedback ASB (59%)	Audit Feedb UT (67%	oack (CPOE ASB (26%)	CPOE UTI (67%)	Diagnosti Stewardsh Interventio (1, 0-2) (67	hip ons
Tier 1.	Dedicated Stewardship Resources since the Joint Commission Requirement (31%)		dship Docum		olicy Requiring entation of	Updated UTI Guid (51%)			ideline Educ		ation on UTI and ASE (87%)	
Critical Infrastructure				Discharg	d Duration in ge Summary 15%)	•	ed Pne Guideliı (59%)		Ec	lucation c (9	nonia	



Experience from a community health system

Robert Neetz, PharmD, BCPS Clinical Pharmacist – Antimicrobial Stewardship MyMichigan Health, Midland, Michigan



About MyMichigan Health System

- Seven hospitals across mid-east/northeast Michigan
 - Alma 97 beds (Meds to Beds pharmacy)
 - Alpena 139 beds (Meds to Beds pharmacy)
 - Clare 49 beds
 - Gladwin 25 beds
 - Midland 324 beds (Meds to Beds pharmacy)
 - Sault St. Marie 49 beds
 - West Branch 86 beds



MyMichigan Health

Medical Centers

MyMichigan Medical Center Alma MyMichigan Medical Center Alpena MyMichigan Medical Center Clare MyMichigan Medical Center Gladwin MyMichigan Medical Center Midland MyMichigan Medical Center Mt. Pleasant MyMichigan Medical Center Sault MyMichigan Medical Center West Branch Mackinac Straits Hospital** Mackinac Island Medical Center**

Medical Offices and Support Services

Alma, Alpena, Atlanta, Auburn, Bois Blanc Island**, Breckenridge, Cheboygan**, Cedarville, Clare, Drummond Island, Edmore, Farwell, Freeland, Gladwin, Harrison, Ithaca, Kinross, Lincoln, Mackinaw City**, Midland, Mt. Pleasant, Oscoda, Pigeon, Prudenville, Rogers City, St. Ignace**, Sault Ste. Marie, Sanford, Shepherd and West Brand West Brand

Health Parks

Bay, Freeland, Gladwin, Harrison, West Branch

Urgent Care Centers

Alma, Alpena, Clare, Freeland, Gladwin, Houghton Lake, Midland, West Branch

Walk In Care

Bay, Sault Ste. Marie

Continuing Care RehabCentre

RehabCentre MyMichigan Home Care MyMichigan Hospice Woodland Hospice House

Long Term Care

Sault Ste. Marie, St. Ignace**

Other Services, Partners, Joint Ventures Advanced PET Imaging Network*

ConnectCare*
Great Lakes Bay Surgery & Endoscopy Center*
MidMichigan Community Health Services
Mt. Pleasant Surgery Center*
MyMichigan Collaborative Care Organization
MyMichigan Health Foundation

MyMichigan Health Network* MyMichigan Medical Group Open MRI Mt. Pleasant*

Wound Treatment Centers*





Overview

- Provider quick wins to improve antibiotic discharge duration
 - Progress notes
 - EMR discharge ordering
- Pharmacists from start to finish



"Discharge planning starts on admission" - Michael Scott

Diagnose/empiric therapy

Abx time-out and documentation

Discharge/plan implementation



Improve communication via notes

Instead of this...

CAP –continue ceftriaxone
 2g IV and azithromycin 250mg
 PO

Try this...

CAP –continue ceftriaxone
 2g IV and azithromycin 250mg
 PO. <u>Planned total duration of</u>
 <u>abx 5 days. End abx on 9/10.</u>




Discharge defaults...avoid "restarting the clock"

Product:	LEVOFLOXACIN 750 MG ORAL TAB View Available Strengths
Sig Method:	Specify Dose, Route, Frequency Taper/Ramp Combination Dosage Use Free Text
Dose:	750 mg 750 mg
	Calculated dose: 1 tablet
Route:	oral \wp oral
Frequency:	Daily Daily
Duration:	7 Doses Days 5 days 7 days 10 days 14 days
	Starting: 9/12/2022 🔠 Ending: 9/19/2022 🟝 First fill:
Dispense:	Days/Fill: Full (7 Days) 30 Days 90 Days
	Quantity: 7 tablet Refill: 0 0
	Total Supply: 7 Days



Upgrades made





Easy access to counting days

Summary Report:

A Hide Antimicrobial Summary t Antimicrobial Days 7 9/3/2022 9/4/2022 9/5/2022 9/7/2022 9/6/2022 9/8/2022 9/9/2022 9/10/2022 bials 3 g, New 3 g, New 3 g, New actam Na, Bag Bag Bag 1 chloride 4.5 g, New 1 chloride. 4.5 g, New Bag Bag Bag Bag Bag Bag bactam




"Meds to Beds" Pharmacist

- Provide easy tools for quick review of normal durations for common indications
- Challenges:
 - Time patient wants to go home!
 - Pharmacist buy in and confidence in recommendations



Meds to Beds Initiative on Discharge


M2B 12 Week Unnecessary Antibiotic Days Avoided = 200 days





Meds to Beds Initiative with Pharmacy

Days Avoided by Medication 6/30 - 8/7



Data from 2020



Inpatient Pharmacists

- Follow antibiotic from start to finish?
- Pick your targets CAP, UTI, SSTI, FQs
- Challenges
 - Time and resources
 - Overwhelming amount of antibiotics pick targets



Alpena hospital example:

Pharmacist led follow ups

- Daily monitoring on high yield stewardship opportunities
- Increased communication to address stewardship opportunities and plan for discharge from the start

Indication: Bacteremia/CAP

Dose: Vancomycin 1250 mg IVPB every 12 hours Ceftriaxone 2 grams IVPB every 24 hours Azithromycin 500 mg IVPB every 24 hours

Scr/CrCI: 1.1/ 74 ml/min

WBC: 10.3 (12.6) Temperature: afebrile

VS: stable.

Cultures: 1 of 2 BC from 9/18 growing coag - staph, 9/19

BC: NGTD.; UC > 100K GNR.

Start Date: 09/18/22 Day of Therapy: 2

Overall Number of Days on Antibiotics: 3

Anticipated Duration: 5 days for CAP, 14 days for

Bacteremia

Notes/Plan: Blood cultures now reported as Coag Neg Staph. Texted attending to inquire about need for Vancomycin. Awaiting his response. Update: Vancomycin stopped today by attending.

Rocephin/Azithro continued.



Alpena success!

QTR	Q2 2021	Q3 2021	Q4 2021	Q1 2022	Q2 2022
CAP treated with 5 Days of Antibiotics*- Measure #5 (%)	44.8	47.1	67.9	64.3	65.2
Reduce Fluoroquinolone Use in Patients with a Positive Urine Culture^- Measure #6 (%)	6.4	7.2	4.3	5.3	5.6
Reduce Fluoroquinolone Use in Patients with Uncomplicated CAP~ - Measure #6 (%)	10.8	6.7	6.3	3.8	3.5
Reduce Use of Antibiotics in Patients with ASB**^- Measure #7 (%)	17.7	17.7	14.5	14.9	15

*Data provided with permission from the Michigan Hospital Medicine Safety Consortium (HMS)





Review

- Progress notes
 - More communication = less confusion
 - Document direct plan with stop date
- EMR changes for discharge prescribing
- Pharmacists!



Thank you!

Robert.neetz@mymichigan.org

When you edit an antibiotic prescription to add indication and duration





Interactive Discussion: Panelists and Attendees

Panelists



Arjun Srinivasan, MD



Valerie Vaughn, MD MSc



Robert Neetz, PharmD BCPS

Please enter your questions or comments into Chat or raise your hand to be unmuted

Facilitator



Lynda Martin, MPA BSN RN CPHQ



- Healthcentric Advisors Qlarant
- Kentucky Hospital AssociationQ3 Health Innovation Partners
- Superior Health Quality Alliance



Key Takeaways

- Advancing stewardship not all stewardship is created equal
 - Priority implementation approaches strategies to consider focusing on
 - Incremental steps on a long journey help prepare for required CY2024 AUR surveillance measure reporting
- ROAD Home framework can help reduce antibiotic overuse at discharge
 - The more interventions (or the higher tier) the more reduction
 - Tier 3 (discharge-specific) strategies have biggest effect on discharge
- Provider quick wins to improve antibiotic discharge duration
 - Progress notes more communication = less confusion
 - Document direct plan with stop date
 - EMR changes for discharge prescribing avoid restarting the clock
- Pharmacists from start to finish
 - Increased communication to address opportunities and plan for discharge from the start



- Healthcentric Advisors Qlarant
- Kentucky Hospital AssociationQ3 Health Innovation Partners
- Q3 Health Innovation Partners
 Superior Health Quality Alliance

Wrap-up

- Slides, recording & handouts shared within 1-2 weeks
- Antibiotic Stewardship Change Pathway
 - Adapt & use to help address your opportunities &/or augment existing interventions
 - Summary of LAN topics discussed
 - Compilation of challenges, barriers & best practices for implementation
 - Links to tools & resources for planning & executing your QI project
- Save the Date information coming soon for January 2023 Joint HQIC LAN





- Healthcentric Advisors
 Qlarant
 Kentucky Hospital Association
- Rentucky Hospital Association
 Q3 Health Innovation Partners
- Superior Health Quality Alliance

Contact Us

HQIC Teams

Alliant HQIC Team

Karen Holtz, MT (ASCP), MS, CPHQ Karen.holtz@allianthealth.org

View our Website

Compass HQIC Team

Charisse Coulombe, MS, MBA, CPHQ, CPPS

coulombec@ihconline.org

Melissa Perry, MSW, LCSW perrym@ihconline.org

View our Website

IPRO HQIC Team

Lynda Martin, MPA, BSN, RN, CPHQ martinl@glarant.com

Terry Lubowski, Pharm. D.B.S.

TLubowski@ipro.org

View our Website

Telligen HQIC Team

Meg Nugent, MHA, RN mnugent@telligen.com

View our Website

Speakers

Arjun Srinivasan, MD CAPT USPHS

Associate Director for Healthcare
Associated Prevention Programs
Division of Healthcare Quality Promotion
Centers for Disease Control and
Prevention (CDC)
beu8@cdc.gov

Valerie Vaughn, MD MSc

Director of Hospital Medicine Research Department of Internal Medicine University of Utah School of Medicine Valerie.Vaughn@hsc.utah.edu Robert Neetz, PharmD, BCPS
Antimicrobial Stewardship Pharmacist
MidMichigan Health

Robert.Neetz@midmichigan.org



- Healthcentric Advisors Qlarant
- Kentucky Hospital Association
- Q3 Health Innovation Partners
 Superior Health Quality Alliance

Hospital Quality Improvement Contractors
CENTERS FOR MEDICARE & MEDICAID SERVICES
IQUALITY IMPROVEMENT & INNOVATION GROUP

Thank You for Attending Today's Event We value your input!

Please complete the brief survey after today's event.

This material was prepared by the IPRO HQIC, a Hospital Quality Improvement Contractor, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. IPRO-HQIC-Tsk56-22-252



- Healthcentric Advisors Qlarant
- Kentucky Hospital Association
 Q3 Health Innovation Partners
- Superior Health Quality Alliance

Hospital Quality Improvement Contractors
CENTERS FOR MEDICARE & MEDICAID SERVICES
iQUALITY IMPROVEMENT & INNOVATION GROUP